

BannerSaver™

THE SPRING-LOADED LIGHT POLE BANNER BRACKET SYSTEM

BannerSaver is the world's original and leading performance banner bracket. In high-wind, the patented spring-loaded bracket releases, reducing stress on and increasing the life of banners and poles. When the wind dies down, the banners return to their original position. BannerSaver is wind tunnel-tested to spill 87% of the wind and is the most specified banner bracket in the world.

TOP PRODUCT BENEFITS

- 1 Reduces damage and light pole liabilities.
- 2 Spring-loaded, wind-release bracket keeps banners safe.
- 3 Patented hardware is specified on six continents.
- 4 Wind tunnel-tested to spill 87% of wind load.
- 5 Ideal for festivals, streetscapes, parking lots, and more.
- 6 In use at hundreds of cities and venues across the world.



BANNERSAVER | SPECIFICATIONS

Warranty	10 years
Patent Number	5388794

BANNERSAVER | STANDARD SIZES

Standard sizes are detailed below.

Product	Maximum Banner Size	RRP
Medium BannerSaver	Up to 1.6 sqm	\$125.00
Large BannerSaver	Up to 2.1 sqm	\$150.00
XL BannerSaver	Up to 2.8 sqm	\$195.00

Heavy banding (call for a quote) is suggested for all installs

BANNERSAVER | ACCESSORIES

Each BannerSaver Bracket Includes:

- Two-piece base casting
- Spring tensioned assembly
- sleeved black fiberglass arms
- 1 large safety pins
- 1 large plastic zip ties
- Mounting instructions

Additional Options Include:

- Powder coating (many colors available)
- Fiberglass arm replacement –
- Band-It tool
- Bulk zip ties
- Bulk safety pins




**NEED
PRINT?**

Bay Media prints everything in-house, making coordinating your project easier than ever. Our UV-resistant, high-quality light pole banners are an exceptional match to our BannerSaver system. **Discounts are available when brackets and print are combined in the same order.** Call today to order at 1300 55 49 36

BANNERSAVER | COMPONENTS

PAIR OF BANNERSAVER BRACKETS



LIGHT POLE BANNERS | ARTWORK TEMPLATES

Need banners? Our banners are efficiently printed doublesided on heavyweight vinyl with full UV-resistant ink and doubleneedle lock stitching on all pocket hems. Upon ordering BannerSaver, appropriate light pole banner artwork templates will be provided.

BANNERSAVER | MAINTENANCE

With regular maintenance, your BannerSaver™ will last for years, protecting banners and reducing light pole liabilities. We recommend the following maintenance schedule:

- Return to the install site within 2-4 weeks of the first install to tighten bands if necessary.
- Check on banding once a quarter and/or after high wind storms. It may be necessary to tighten or replace banding from time to time.
- *Note: All banding of any kind, from any company, requires maintenance. Heavy banding costs more up front but will reduce maintenance costs in the long run.*

BANNERSAVER | WARRANTY

Bay Media provides a ten-year Return to Base warranty on the BannerSaver™ against product design, manufacturing and its wind-spilling capabilities as outlined in the BannerSaver™ Wind Tunnel Test Report and assuming proper installation methods. During this warranty period, Bay Media will replace or repair the BannerSaver™. This warranty applies only to the original purchaser and is in lieu of all other warranties either expressed or implied for a period of ten years from the date of purchase. Bay Media will not warrant the following: SHIPPING; customer is to bear all shipping expense to return the unit to Bay Media. LABOR; associated with the removal or installation. DAMAGE; caused by misuse, neglect abuse, accidents, alterations, corrosive environments and any other abnormal service conditions. This warranty specifically does not include product damage due to weather conditions rated F-0 and higher (110kph) on the Bureau of Meteorology Scale.

Claims against the warranty must include:

- Clear pictures of installations, including proper banding; and
- National Weather Service reporting based on the day of inquiry.

BannerSaver™ customers recognize that performance related products like the BannerSaver™ require occasional maintenance including checking for loose banding and/or the replacement of bands. Britten encourages customers to remove light pole banners from poles when a known F-0 or higher storm is expected.

Important notes:

- The customer is responsible for all wall mounted installations, and warranties do not apply due to the wide variation in walls.